245-C BUSINESS CARD FILE



Business cards are easy to locate for quick reference with the 245C FILE.

Injection molded of high Impact Plastic. Compact size for desk drawer. Has divider in center which serves as follower block. Sits in detachable clear

Colors — Grey, biege, mist green Lid — Crystal clear, transparent

Each unit includes a complete A to Z index of sturdy white card stock.

Extra indexes 75c retail.

transparent lid when filing as shown.

MODEL	PACKED	WEIGHT	OUTSIDE DIMENSIONS			
245C	I doz. per color	51/2 lbs.	Height	Width	Depth	
	to carton	per doz.	23/4 in.	4 in.	41/2	

Made for

LIT-NING PRODUCTS CO.

2496 South Cherry Avenue

Fresno, California




The most versatile office accessory yet!

Everything at your fingertips in half the time with LIT-NING'S New Desk Organizer. No more twisting, turning, walking, or bending. No more lost or buried papers because the Desk Organizer can be a complete office system right on your desk top. Instantly you're organized ... and your desk is clear!

The Desk Organizer features adjustable divi-

ders on the Top Deck with fixed sections below. The compact end section gives you 4 generous shelves...one with 2 special dividers for envelopes or small forms. Now available in 4 popular office decor colors: Grey, Tan, Mist Green or Black. See the Desk Organizer today and judge for yourself how easy office work can be with LIT-NING Systems . . . Specially designed with a clear desk in mind!



DESK ORGANIZER ORDER BLANK

	Colors & Quantity				Price	Total
	Grey	Tan	Mist Green	Black		
1DO						
2DO						
DOD						

Total Purchase__

Gentlemen: Please send further information on the complete line of Lit-Ning Office Systems.

NAME

COMPANY NAME

ADDRESS

CITY

STATE

ZIP

Here's another product that proves Office work is easier with




Suddenly your

Desk is a complete

Office System with...



DATA PROCESSING ACCESSORIES



Specially designed to fit in as standard accessories for existing equipment. Precision Made of Heavy Gauge Steel with special under coating and baked enamel finish.

HORIZONTAL and VERTICAL TABULATING CARD RACKS

*available in 2 sizes for each model senior size holds 40 cards junior size holds 20 cards

*racks can be mounted on walls for easy access

*Individual card pockets designed for fast, easy handling

*Index holders for each pocket can be included at slight additional charge

NUMBER		MEASUREMENTS	COLOR	LIST PRICE
5170	Senior size	5/8 x 9 x 44	Tab Grey	\$12.00
5180	Junior size	5/8 x 9 x 24	Tab Grey	\$ 8.50
5210	Senior size	2 x 8 ¹ / ₄ x 23	Tab Grey	\$12.00
5190	Junior size	2 x 4½ x 23	Tab Grey	\$ 8.50



KEY PUNCH DESK TRAYS

*sturdy steel construction

*designed specially for key punch operator convenience

*completely portable

*300 card capacity

*model 5130W has fixed center divider

*model 5130R has removable center divider

NUMBER	MEASUREMENTS	COLOR	LIST PRICE
5130W	4½ x 7½ x 2½	Tab Grey	\$1.85
5130R	4½ x 7½ x 2½	Tab Grey	\$2.50

Special Colors Available in all models at slight additional charge.



Eastern Sales Office: 1791 W. Howard Street Chicago, Illinois 60626 Eastern Plant:
Park and Knapp Streets
Fremont, Ohio 43420

Western Sales Office: 170 No. Robertson Blvd. Beverly Hills, California 90211 Western Plant: 2496 So. Cherry Avenue Fresno, California 93706



LIT-NING PRODUCTS COMPANY

SALES OFFICE: 1791 West Howard Street, Chicago 26, Illinois 170 North Robertson Boulevard, Beverly Hills, California • PLANTS: FREMONT, OHIO: Fresno, Calif.

			3/ 4
Price	Tio	+ T -	16Δ
LIICE	פורדי	L	1077

(EAST)

Std. Other Price Model Price Model Price Wt. Price Model Price Wt. Wt. Price Wt. Price Model Price Wt. Wt. Price Model Price Model Price Wt. Wt. Price Model Price Wt. Wt. Price Model Price Model Price Wt. Wt. Price Model Price Wt. Wt. Wt. Price Model Price Model Price Wt. Wt. Price Model Price Model Price Wt. Wt. Wt. Price Model Price Model Price Wt. Wt. Price Model Price Wt. Wt. Wt. Price Model Price Wt. Wt. Wt. Wt. Price Model Price Model Price Wt. Wt. Wt. Wt. Price Model Price Wt. Wt. Wt. Wt. Price Model Price Wt. Wt. Wt. Wt. Price Model Price Wt. Wt. Wt. Price Model Price Wt. Wt. Wt. The price Mt. Wt. The price Mt. Wt. The price Mt. Wt. The price Mt. The pri	Price Lis	t L-16A		(E	AST)			
CATALOG PAGE 3 2H		Std.	Ctn.	List		Std.	Ctn.	List
2H	Model	Pkg.	Wt.	Price	Model	Pkg.	Wt.	Price
2H								
3H 1 3-1/2 5.50 1CE 6 7-1/4 2.10 4H 1 4-1/2 6.50 CATALOG PAGE 7 CATALOG PAGE 8 12-3/4 10.50 CATALOG PAGE 8 12-3/4 10.50 CATALOG PAGE 9 12-3/4 10.50 CATALOG PAGE 9 10.50 MARIAN 9.40 10.50 MARIA 9.40	CATALOG	PAGE 3			CATALO	G PAGE 6	(Cont.)	
4H 1 4-1/2 6.50 5H 1 5-1/2 7.50 CATALOG PAGE 7 6H 1 6-1/2 8.75 6BC 1 9-3/4 10.50 7H 1 7-1/4 10.00 #6 BCL 1 12-3/4 13.50 2HL 3 8-3/4 5.40 #6 1 6-1/4 8.75 4HL 1 6-1/4 8.00 6LB 1 8 9.40 4HL 1 6-1/4 9.40 1K 3 5 4.70 5HL 1 7-3/4 9.40 1K 3 5 4.70 6HL 1 10-1/2 12.50 1K 3 3-1/4 3.10 7HL 1 10-1/2 12.50 1K 3 3-1/4 3.10 7HL 1 10-1/2 12.50 1K 3 3-1/4 3.10 1ST 1 2.71/4 2.10 1SE 1	2H	3	6-1/4	\$ 4.20	3C	1	3-1/2	12.50
5H 1 5-1/2 7.50 CATALOG PAGE 7 6H 1 6-1/2 8.75 6BC 1 9-3/4 10.50 2HL 3 8-3/4 5.40 #6 1 12-3/4 13.50 2HL 3 8-3/4 5.40 #6 1 6-1/4 8.75 3HL 1 4-1/2 6.75 6LB 1 8 9.40 4HL 1 6-1/4 8.00 6LBC 1 6-1/4 9.40 5HL 1 7-3/4 9.40 1K 3 5 4.70 6HL 1 9-1/4 11.00 1K 3 5 4.70 3HV 1 9-1/4 11.00 1K 3 5 4.70 3HV 1 9-1/4 11.00 1K 3 5-1/4 6.00 1ST 12 27-1/4 2.10 2S 1 5-1/4 6.00 1D 12 27-1/4 2.75 <	3H	1	3-1/2	5.50	lCE	6	7-1/4	2.10
6H	4H	1	4-1/2	6.50				
7H	5H	1	5-1/2	7.50	CATALO	G PAGE 7		
2HL 3 8-3/4 5.40 3HL 1 4-1/2 6.75 3HL 1 4-1/2 6.75 6LB 1 8 9.40 4HL 1 6-1/4 8.00 5HL 1 7-3/4 9.40 6HL 1 9-1/4 11.00 7HL 1 10-1/2 12.50 3HV 1 9-1/4 11.00 1ST 12 27-1/4 2.10 2ST 12 32-1/4 2.40 3ST - Stacking Posts	6H	1	6-1/2	8.75	6BC	1	9-3/4	10.50
3HL 1 4-1/2 6.75 6LB 1 8 9.40 4HL 1 6-1/4 8.00 6LBC 1 6-1/4 9.40 6HL 1 9-1/4 11,00 1K 3 5 4.70 3HV 1 9-1/4 11,00 1K 3 5-1/4 3.10 1ST 12 27-1/4 2.10 2 2.50 1S 1 5-1/4 6.00 3ST - Stacking Posts .40 1SL 1 5-1/4 6.00 2D 12 227-1/4 2.75 2S-15 2 8-3/4 6.25 2D 12 27-1/4 2.75 2S-18 1 5-1/4 6.00 3D - Stacking Posts .50 .50 2S-18 1 5-1/2 6.50 2D 1 6-1/4 4.25 3B 2 6-1/4 6.25 3D - Stacking Posts .50 3B 2 6-1/4 3.9	7 H	1	7-1/4	10.00	6BCL	1	12-3/4	13.50
4HL 1 6-1/4 8.00 6LBC 1 6-1/4 9.40 5HL 1 7-3/4 9.40 1K 3 5 4.70 6HL 1 9-1/4 11.00 1K 3 5 4.70 3HV 1 10-1/2 12.50 1M 3 3-1/4 3.10 1ST 12 27-1/4 2.10 2 2 2.51 1 5-1/4 6.00 3ST - Stacking Posts .40 1SL 1 5-1/4 6.00 1D 12 22 2.50 2S 1 6-1/4 6.00 3D - Stacking Posts .50 2S-15 2 8-3/4 6.25 3D - Stacking Posts .50 3MB 2 4-1/2 6.50 8V 1 10-1/4 8.40 6MRV 2 6-1/4 4.25 3B 2 6-1/4 3.95 12MRV 1 5-3/4 9.25 420	2HL	3	8-3/4	5.40	#6	1	6-1/4	8.75
5HL 1 7-3/4 9.40 1K 3 5 4,70 6HL 1 9-1/4 11,00 3K 3 3-1/4 3,10 7HL 1 10-1/2 12,50 3K 3 3-1/4 3,10 3HV 1 9-1/4 11,00 1 1 9-1/4 1,00 1ST 12 27-1/4 2,10 1 1 5-1/4 6,00 3ST - Stacking Posts .40 1SL 1 5-1/4 6,00 1D 12 22 2,50 2S 1 6-1/4 6,50 2D 12 27-1/4 2.75 2S-15 2 8-3/4 6.25 3D - Stacking Posts .50 1A 3 5-1/2 6.50 AV 1 6-1/4 4.25 2S-18 1 5-1/2 6.50 1A 3 -3/4 5.25 1A 3 3-1/2 3.55 2V 1 </td <td>3HL</td> <td>1</td> <td>4-1/2</td> <td>6.75</td> <td>6LB</td> <td>1</td> <td>8</td> <td>9.40</td>	3HL	1	4-1/2	6.75	6LB	1	8	9.40
6HL 1 9-1/4 11.00 3K 3 3-1/4 3.10 7HL 1 10-1/2 12.50 Indexes, set .75 3HV 1 9-1/4 11.00 12.50 11.00 12.0	4HL	1	6-1/4	8.00	6LBC	1	6-1/4	9.40
7HL 1 10-1/2 12.50 Indexes, set .75 3HV 1 9-1/4 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 12.00 <td>5HL</td> <td>1</td> <td>7-3/4</td> <td>9.40</td> <td>lK</td> <td>3</td> <td>5</td> <td>4.70</td>	5HL	1	7-3/4	9.40	lK	3	5	4.70
7HL 1 10-1/2 12,50 Indexes, set .75 3HV 1 9-1/4 11,00 11,00 11,00 11,00 11,00 11,00 12 27-1/4 2,10 28 18 1 5-1/4 6,00 3ST - Stacking Posts .40 1SL 1 5-1/4 6,00 3ST - Stacking Posts .40 1SL 1 5-1/4 6,00 3ST - Stacking Posts .40 1SL 1 5-1/4 6,00 3ST - Stacking Posts .50 2S - 18 1 5-1/4 6,50 2S - 18 1 5-1/2 6,50 2S - 18 1 5-1/2 6,50 3MB 2 4-1/2 3,50 3MB 2 4-1/2 3,95 4-1/2 3,95 3MB 2 4-1/2 3,95 4-1/2 3,95 3B 2 6-1/4 3,95 3B 2 6-1/4 3,95 32HC 6 5-1/4 1,70 4 4 2,05 3BHC 1 1,70 4	6HL	1	9-1/4	11.00	3K	3	3-1/4	3.10
1ST 12 27-1/4 2.10 2ST 12 32-1/4 2.40 3ST - Stacking Posts .40 1SL 1 5-1/4 6.00 2D 12 27-1/4 2.75 2S 1 6-1/4 6.50 2D 12 27-1/4 2.75 2S-15 2 8-3/4 6.25 3D - Stacking Posts .50 50 1A 3 5-1/2 6.50 CATALOG PAGE 4 4V 1 6-1/4 4.25 3MB 2 4-1/2 3.95 8V 1 10-1/4 8.40 4.25 3B 2 6-1/4 3.95 8V 1 10-1/4 8.40 6CR 2 5 4.20	7HL	1	10-1/2	12.50	Indexes,	set		. 75
2ST 12 32-1/4 2.40	3HV	1	9-1/4	11.00				
2ST 12 32-1/4 2.40	1ST	12	27-1/4	2.10	CATALO	G PAGE 8		
3ST - Stacking Posts 1D 12 22 2.50 2D 12 27-1/4 2.75 3D - Stacking Posts .50 CATALOG PAGE 4 4V 1 6-1/4 4.25 6V 1 8-1/2 6.35 8V 1 10-1/4 8.40 6MRV 2 6-1/2 5.25 12MRV 1 5-3/4 9.25 6CR 2 5 4.20 9GR 1 3-3/4 5.50 1M 4 3-1/2 1.65 CATALOG PAGE 5 1BR 1 9-1/2 12.75 6BR 1 12-1/2 16.50 13BR 1 9-1/4 8.95 2BR 1 2-1/2 15.75 CATALOG PAGE 6 1AS 1 2-1/2 15.75 CATALOG PAGE 6 1AS 1 2-1/2 15.70 1C 1 2-1/2 7.30 1C CATALOG PAGE 6 1AS 1 2-1/2 7.30 1C 1 3-3/4 5.50 1C CATALOG PAGE 6 1AS 1 2-1/2 15.70 1C 1 3-3/4 5.50 1C 3-1/4 6.00 2S 1 6-1/4 6.50 2S-15 1 2 8-3/4 6.25 2S-18 1 5-1/2 6.50 1A 3 5-1/2 3.50 3MB 2 4-1/2 3.95 3B 2 6-1/4 3.95 3B 2	2ST	12	32-1/4					6.00
1D 12 22 2.50 2D 12 27-1/4 2.75 3D - Stacking Posts .50 CATALOG PAGE 4 4V 1 6-1/4 4.25 6V 1 8-1/2 6.35 8V 1 10-1/4 8.40 6MRV 2 6-1/2 5.25 12MRV 1 5-3/4 9.25 6CR 2 5 4.20 9CR 1 3-3/4 5.50 1M 4 3-1/2 1.65 CATALOG PAGE 9 1BR 1 9-1/2 12.75 4BR 1 9-1/2 12.75 4BR 1 9-1/2 12.75 4BR 1 9-1/4 8.95 23BR 1 21 15.75 412HC 1 3-1/2 4.50 59HC 1 4-1/4 5.50 13BR 1 9-1/4 8.95 23BR 1 21 15.75 41C 1 3-1/2 4.75 41C 1 3-1/2 4.75 41C 1 3-1/2 4.75 41C 1 <td< td=""><td>3ST - Stack</td><td>ing Posts</td><td></td><td>.40</td><td>1SL</td><td>1</td><td>5-1/4</td><td></td></td<>	3ST - Stack	ing Posts		.40	1SL	1	5-1/4	
2D 12 27-1/4 2.75 3D - Stacking Posts .50 CATALOG PAGE 4 4V 1 6-1/4 4.25 6V 1 8-1/2 6.35 8V 1 10-1/4 8.40 6MRV 2 6-1/2 5.25 12MRV 1 5-3/4 9.25 12MRV 1 3-3/4 5.50 1M 4 3-1/2 1.65 CATALOG PAGE 5 1BR 1 9 10.50 CATALOG PAGE 5 1BR 1 9-1/2 12.75 6BR 1 12-1/2 16.50 13BR 1 9-1/4 8.95 2S-18 1 5-1/2 6.50 1A 3 5-1/2 3.50 3MB 2 4-1/2 3.95 3B 2 6-1/4 3.95 U2 1 3-3/4 4.20 CATALOG PAGE 9 32HC 6 5-1/4 1.70 43HC 6 7-1/4 2.25 46HC 6 7-1/4 2.25 46HC 6 9 2.65 46HC 6 9 2.65 46HC 6 9 2.65 46HC 6 9 2.65 56HC 4 8-3/4 2.75 46HC 6 9 2.65 56HC 4 8-3/4 2.75 49HC 1 3-1/4 5.00 13BR 1 9-1/4 8.95 23BR 1 21 15.75 49HC 1 3-1/4 5.00 13BR 1 9-1/4 8.95 23BR 1 21 15.75 412HC 1 4-1/4 5.00 512HC 1 5-1/2 6.00 CATALOG PAGE 6 1AS 1 2-1/2 15.70 1C 1 2-1/2 7.30 1C 1 2-1/2 7.30 1C 1 2-1/2 7.30	1D	12	22	A		1	6-1/4	
3D - Stacking Posts 50	2D	12	27-1/4			2	8-3/4	
CATALOG PAGE 4 4V	3D - Stack	ing Posts		.50				
CATALOG PAGE 4 4V 1 6-1/4 4.25 3B 2 4-1/2 3.95 6V 1 8-1/2 6.35 U2 1 3-3/4 4.20 8V 1 10-1/4 8.40 6MRV 2 6-1/2 5.25 5.25 5.25 12MRV 1 5-3/4 9.25 43HC 6 5-1/4 1.70 6CATALOG PAGE 9 32HC 6 7-1/4 2.25 5.25 43HC 6 7-1/4 2.25 5.4HC 4 6-3/4 2.65 5.4HC 4 6-3/4 2.65 5.4HC 4 6-3/4 2.65 5.5HC 46HC 6 7-1/4 2.25 6.5HC 4 6-1/2 3.95 46HC 6 7-1/4 2.25 6.6HC 4 8-3/4 2.75 39HC 1 2-1/2 3.95 49HC 1 3-1/2 3.95 49HC 1 3-1/2 4.50 60HC 6 7-1/4 2.25 60HC 6 7-1/4 2.25 7.5 49HC 1 3-1/2 4.50						3	5-1/2	
4V 1 6-1/4 4.25 3B 2 6-1/4 3.95 6V 1 8-1/2 6.35 U2 1 3-3/4 4.20 8V 1 10-1/4 8.40 CATALOG PAGE 9 12MRV 1 5-3/4 9.25 4.20 43HC 6 5-1/4 1.70 6CR 2 5 4.20 43HC 6 7-1/4 2.25 9CR 1 3-3/4 5.50 54HC 4 6-3/4 2.65 1M 4 3-1/2 1.65 36HC 6 7-1/4 2.25 46HC 6 9 2.65 36HC 6 7-1/4 2.25 46HC 6 9 2.65 56HC 4 8-3/4 2.75 4BR 1 9-1/2 12.75 49HC 1 3-1/4 4.50 6BR 1 12-1/2 16.50 59HC 1	CATALOG	PAGE 4				2		
6V 1 8-1/2 b.35 U2 1 3-3/4 b.20 8V 1 10-1/4 b.40 8.40 6MRV 2 6-1/2 b.25 5.25 6MRV 2 6-1/2 b.25 5.25 6CR 2 5-3/4 b.20 9.25 43HC b.20 6 5-1/4 b.20 1.70 6CR 2 5 4.20 43HC b.20 6 5-1/4 b.20 1.70 6CR 2 5 4.20 43HC b.20 6 7-1/4 b.20 2.25 5 4.20 43HC b.20 6 7-1/4 b.20 2.65 5 4.20 43HC b.20 6 7-1/4 b.20 2.65 5 4.20 43HC b.20 6 7-1/4 b.20 2.65 5 4HC b.20 43HC b.20 6 7-1/4 b.20 2.65 5 5 4HC b.20 6 6 7-1/4 b.20 2.65 3 6HC b.20 6 7-1/4 b.20 2.65 3 6HC b.20 6 7-1/4 b.20 2.55 4 6HC b.20 6HC b.20 7-1/4 b.20 3 9	4V	1	6-1/4	4. 25				
8V 1 10-1/4 8.40 6MRV 2 6-1/2 5.25 12MRV 1 5-3/4 9.25 6CR 2 5 4.20 9CR 1 3-3/4 5.50 1M 4 3-1/2 1.65 CATALOG PAGE 5 5 4.20 1BR 1 9 10.50 4BR 1 9-1/2 12.75 6BR 1 12-1/2 16.50 13BR 1 9-1/4 8.95 23BR 1 21 15.75 412HC 1 4 5.50 512HC 1 5-1/2 6.00 7CS 1 6-1/2 8.25 1AS 1 2-1/2 7.30 2T 1 4-1/4 5.50	6V	1	8-1/2	6.35				
12MRV 1 5-3/4 9.25 32HC 6 5-1/4 1.70 6CR 2 5 4.20 43HC 6 7-1/4 2.25 9CR 1 3-3/4 5.50 54HC 4 6-3/4 2.65 1M 4 3-1/2 1.65 36HC 6 7-1/4 2.25 46HC 6 9 2.65 56HC 4 8-3/4 2.75 4BR 1 9-1/2 12.75 49HC 1 3-1/4 4.50 6BR 1 12-1/2 16.50 59HC 1 4-1/4 5.00 13BR 1 9-1/4 8.95 312HC 1 3-1/2 4.75 23BR 1 21 15.75 412HC 1 4 5.50 CATALOG PAGE 6 7CS 1 6-1/2 8.25 1AS 1 2-1/2 15.70 1T 1 3-3/4 5.00 1C 1 2-1/2 7.30 2T 1 4-1/4 5.50	8V	1	10-1/4	8.40				
12MRV 1 5-3/4 9.25 6CR 2 5 4.20 9CR 1 3-3/4 5.50 1M 4 3-1/2 1.65 CATALOG PAGE 5 36HC 6 7-1/4 2.25 4BR 1 9-1/2 12.75 49HC 1 3-1/2 3.95 4BR 1 12-1/2 16.50 59HC 1 4-1/4 5.00 13BR 1 9-1/4 8.95 312HC 1 3-1/2 4.75 23BR 1 21 15.75 412HC 1 4-1/4 5.50 CATALOG PAGE 6 7CS 1 6-1/2 8.25 1AS 1 2-1/2 15.70 1T 1 3-3/4 5.00 1C 1 2-1/2 7.30 2T 1 4-1/4 5.50	6MRV	2	6-1/2	5.25	CATALOG	GPAGE 9		
6CR 2 5 4.20 43HC 6 7-1/4 2.25 9CR 1 3-3/4 5.50 54HC 4 6-3/4 2.65 1M 4 3-1/2 1.65 36HC 6 7-1/4 2.25 CATALOG PAGE 5 46HC 6 9 2.65 1BR 1 9 10.50 39HC 1 2-1/2 3.95 4BR 1 9-1/2 12.75 49HC 1 3-1/4 4.50 6BR 1 12-1/2 16.50 59HC 1 4-1/4 5.00 13BR 1 9-1/4 8.95 312HC 1 3-1/2 4.75 23BR 1 21 15.75 412HC 1 4 5.50 CATALOG PAGE 6 7 7CS 1 6-1/2 8.25 1AS 1 2-1/2 7.30 2T 1 4-1/4 5.50	12MRV	1	5-3/4	9. 25			5-1/4	1.70
9CR 1 3-3/4 5.50 1M 4 3-1/2 1.65 CATALOG PAGE 5 1BR 1 9 10.50 4BR 1 9-1/2 12.75 6BR 1 12-1/2 16.50 13BR 1 9-1/4 8.95 23BR 1 21 15.75 CATALOG PAGE 6 1AS 1 2-1/2 7.30 SHC 4 6-3/4 2.65 36HC 6 9 2.65 56HC 4 8-3/4 2.75 49HC 1 3-1/4 4.50 59HC 1 4-1/4 5.00 13-1/2 4.75 412HC 1 4 5.50 512HC 1 5-1/2 6.00 7CS 1 6-1/2 8.25 1T 1 3-3/4 5.00 2T 1 4-1/4 5.50	6CR	2	5	4.20				
1M 4 3-1/2 1.65 36HC 6 7-1/4 2.25 CATALOG PAGE 5 56HC 4 8-3/4 2.75 1BR 1 9 10.50 39HC 1 2-1/2 3.95 4BR 1 9-1/2 12.75 49HC 1 3-1/4 4.50 6BR 1 12-1/2 16.50 59HC 1 4-1/4 5.00 13BR 1 9-1/4 8.95 312HC 1 3-1/2 4.75 23BR 1 21 15.75 412HC 1 4 5.50 CATALOG PAGE 6 7CS 1 6-1/2 8.25 1AS 1 2-1/2 15.70 1T 1 3-3/4 5.00 1C 1 2-1/2 7.30 2T 1 4-1/4 5.50	9CR	1	3-3/4	5.50				
46HC 6 9 2.65 CATALOG PAGE 5 1BR 1 9 10.50 39HC 1 2-1/2 3.95 4BR 1 9-1/2 12.75 49HC 1 3-1/4 4.50 6BR 1 12-1/2 16.50 59HC 1 4-1/4 5.00 13BR 1 9-1/4 8.95 312HC 1 3-1/2 4.75 23BR 1 21 15.75 412HC 1 4 5.50 CATALOG PAGE 6 1AS 1 2-1/2 15.70 1T 1 3-3/4 5.00 1C 1 2-1/2 7.30 2T 1 4-1/4 5.50	1 M	4	3-1/2	1.65				
CATALOG PAGE 5 5 56HC 4 8-3/4 2.75 1BR 1 9 10.50 39HC 1 2-1/2 3.95 4BR 1 9-1/2 12.75 49HC 1 3-1/4 4.50 6BR 1 12-1/2 16.50 59HC 1 4-1/4 5.00 13BR 1 9-1/4 8.95 312HC 1 3-1/2 4.75 23BR 1 21 15.75 412HC 1 4 5.50 CATALOG PAGE 6 7CS 1 6-1/2 8.25 1AS 1 2-1/2 15.70 1T 1 3-3/4 5.00 1C 1 2-1/2 7.30 2T 1 4-1/4 5.50								
1BR 1 9 10.50 39HC 1 2-1/2 3.95 4BR 1 9-1/2 12.75 49HC 1 3-1/4 4.50 6BR 1 12-1/2 16.50 59HC 1 4-1/4 5.00 13BR 1 9-1/4 8.95 312HC 1 3-1/2 4.75 23BR 1 21 15.75 412HC 1 4 5.50 CATALOG PAGE 6 7CS 1 6-1/2 8.25 1AS 1 2-1/2 15.70 1T 1 3-3/4 5.00 1C 1 2-1/2 7.30 2T 1 4-1/4 5.50	CATALOG	PAGE 5						
4BR		1	9	10.50				
6BR		1						
13BR 1 9-1/4 8.95 312HC 1 3-1/2 4.75 23BR 1 21 15.75 412HC 1 4 5.50 512HC 1 5-1/2 6.00 7CS 1 6-1/2 8.25 1AS 1 2-1/2 15.70 1T 1 3-3/4 5.00 1C 1 2-1/2 7.30 2T 1 4-1/4 5.50								
23BR 1 21 15.75 412HC 1 4 5.50 512HC 1 5-1/2 6.00 CATALOG PAGE 6 7CS 1 6-1/2 8.25 1AS 1 2-1/2 15.70 1T 1 3-3/4 5.00 1C 1 2-1/2 7.30 2T 1 4-1/4 5.50		1						
CATALOG PAGE 6 7CS 1 5-1/2 6.00 1AS 1 2-1/2 15.70 1T 1 3-3/4 5.00 1C 1 2-1/2 7.30 2T 1 4-1/4 5.50								
CATALOG PAGE 6 7CS 1 6-1/2 8.25 1AS 1 2-1/2 15.70 1T 1 3-3/4 5.00 1C 1 2-1/2 7.30 2T 1 4-1/4 5.50		*						
1AS 1 2-1/2 15.70 1T 1 3-3/4 5.00 1C 1 2-1/2 7.30 2T 1 4-1/4 5.50	CATALOG	PAGE 6						
1C 1 2-1/2 7.30 2T 1 4-1/4 5.50		1	2-1/2	15.70				
		1						
		1						

(EAST)

Titee Ei	St LI-10A	·	(12)	ASI)			*	
	G. 1							
26.1.1	Std.	Ctn.	List		Std.	Ctn.	List	
Model	Pkg.	Wt.	Price	Model	Pkg.	Wt.	Price	
CATALOG		~		CATALOG		man .		
CATALOG			4 2 50	141	6	19	2.10	
1FL		6-3/4		142	6	19	2.10	
46BE		5-1/2	1.85	143	6	19	2.10	
57BE	6 Prs.		2.40	144	6	19	2.25	
68BE	6 Prs.	9-1/2	2.65	145	- 6	19	2.10	
CAMALOG				146	6	19	2.10	
CATALOG 1				150	6	19	2.10	
4LC	1	8	9.40	CATALOG		_		
4L	1	5-1/2		1 TCR	1	8	9.50	
5 L	1	6-1/4		2TCR	1	8-1/2		
4LF	1	10	11.50	3TCR	1	9-7/8		
5LF	1	12	13.00	4TCR	1	11-1/4		
2CF		4-3/4	5.25	12STR	1	9	10.35	
1PF	1	4-3/4	- 11	12VTR	1	16	13.00	
2PF	1	7-1/2	6.90	12JTR	1	13	13.00	
				18JTR	1	13-1/2	15.50	
CATALOG I				CATALOG	PAGE 14	_		
19-23A	1	3-1/2	5.25	12IBMR	1	11-3/4	34.00	
9-23A	1	3	3.75	12IB	1	4-1/2	25.00	
9-23CL	1	3	5.35	12EC	1	1/2	1.00	
19-23CL	1	3-1/2	7.00	3TS	1	1	4.50	1
		d pack	2.75	lH	4	8	3.15	
9-99A	1	4-1/4	6.00	lHL	4	9	3.70	
9-50A	1	4	4.75	4D	2	2-1/4	2.85	
9-10A	1	2	3.50	5D	4	8-1/4	3.60	
19-10A	1	2-1/2	5.10	6D	4	9-3/4	3.75	
9-10CL	1	2	5.15	7D - Stack	ing Posts		. 75	
19-10CL	1	2-1/2	6.75	18LR	1	12	14.50	
				5FD	1	4-1/4	8.40	
CATALOG F	PAGE 12			New Items -	- Separate	Catalog S	Sheets	N
CO2	1	12	18.00	1DO	1	44	39.95	E
18NFC	1	28-1/2	28.50	2DO	1	49	43.95	W
18NFLC	1	32	33.50	Extra DO D:	ividers		. 90	
3FE (Clip)	4	10-3/4	2. 25	245C W/Ind	. 12	5	1.95	I
4FE (Clip)	4	11	2.50	Extra Index			. 75	T
				IVR *	6	5	2.60	E
				2 VR *	6	6 1/2	2.85	M
				3VR *	6	8 1/2	3.10	S
				4VR *	6	8	3.10	
				35PB *	12	3 1/2	.60	

RETURNED MERCHANDISE POLICY

*(Does not include cards or index)

We will not accept merchandise returned without prior consent. Before returning merchandise, please notify us in writing, itemize the materials, give date of our invoice and await our authorization. Acceptable returned goods will be credited at 85% of the invoice price. A service charge will be made for any expenses incurred in preparing the items for resale. No return privilege will be granted after 30 days from date of invoice. Special merchandise which has been made to order is not subject to return.

Please consult our sales office regarding availability of discontinued models listed in previous catalogs, but not listed in this catalog.